

Area	Job Code	Job code description	Chargeable?	SLA
DOM	BAT E6 XX	Battery Replacement - E6	N	D+5
DOM	BAT ET XX	Battery Replacement - Electronic Token	N	N/A (i.e as above)
DOM	CJM XX XX	Coin Jam	Y	N/A
DOM	COT ET XX	Change of Tenancy - Existing ETM	Y	N/A
DOM	EXC CR CR	Exchange Credit Meter	Y	D+5
DOM	EXC CR ET	Exchange Credit for ET Meter	Y	D+1
DOM	EXC DM CR	Exchange Damaged Credit Meter	Y	D+5 (U6)
DOM	EXC DM PP	Exchange Damaged Pre-payment Meter	Y	D+5
DOM	EXC FT PP	Exchange Faulty Prepayment Meter	N	D+5
DOM	EXC FT CR	Exchange faulty credit meter	N	D+5
DOM	EXC PP CR	Exchange PP for Credit Meter	Y	D+1 All Day
DOM	EXC PP ET	Exchange PP for ET Meter	Y	D+1 All day or D+5 for am/pm/2hr scheduled attendance
DOM	EXT CR XX	Exchange Credit Meter for OFMAT	Y but only subject to a charge if meter found to be accurate	D+5 (U6)
DOM	EXT PP XX	Exchange Prepayment Meter for OFMAT	Y but only subject to a charge if meter found to be accurate	D+5
DOM	FAU XX XX	Faulty credit meter	N	gas on D+5 / gas off T+4
DOM	FE6 BS XX	Faulty E6 meter - blank screen	N	gas on D+5 / gas off T+4
DOM	FET 35 XX	Faulty ETM - card fail 35	N	gas on D+5 / gas off T+4
DOM	FET CF XX	FAULTY ETM - CARD FAIL	N	gas on D+5 / gas off T+4
DOM	FET CH XX	Faulty ETM Call Help	N	gas on D+5 / gas off T+4
DOM	FET CN XX	Faulty ETM Card Not Accepted	N	gas on D+5 / gas off T+4
DOM	FET CS XX	Change Of Supplier - Card not accepted	Y	gas on D+5 / gas off T+4
DOM	FET FF XX	Faulty ETM - Fail/Fault	N	gas on D+5 / gas off T+4
DOM	FET NM XX	Faulty ETM noisy meter	N	gas on D+5 / gas off T+4
DOM	FIT LO 01	Fit Security Collar to Meter	Y	D+2
DOM	FIX RD CR	Fix Credit Meter Re-establish after debt	Y	D+1
DOM	FIX RD ET	Fix ETM Re-Establish after debt	Y	D+1
DOM	FIX RE CR	Fix Credit Meter Re-establish	Y	Non-debt D+2
DOM	FIX RE ET	Fix ETM Re-Establish	Y	Non-debt D+2
DOM	FIX XX CR	Fix Credit Meter	Y	D+5
DOM	FIX XX ET	Fix Electronic Token Meter	Y	D+5
DOM	FIX ED ET	Install and reconnect PP meter	Y	D+2
DOM	FIX ED CR	Install and reconnect CR meter	Y	D+2
DOM	FPT XX XX	Faulty prepayment meter	N	D+0
DOM	LOC E6 XX	Lock E6 meter	Y	D+2
DOM	LOC ET XX	Lock electronic token meter	Y	D+2
DOM	LOC CR XX	Lock credit meter	Y	D+2
DOM	LOC PP XX	Lock prepayment meter	Y	D+2
DOM	MOV CR XX	Move Credit Meter	Y	D+5 (U6)
DOM	MOV ET XX	Move Electronic Token Meter	Y	D+5
DOM	POL PP PP	Policy Exchange Prepayment Meter	N	N/A
DOM	POL CR CR	Policy exchange domestic credit	N	N/A
DOM	REM CR XX	Remove Credit Meter	Y	D+5
DOM	REM PP XX	Remove Pre-Payment Meter	Y	D+5
DOM	TAM E6 XX	Diagnostic Flag on E6 Meter	N	D+10
DOM	TAM ET XX	Diagnostic Flag on ET Meter	N	D+10
DOM	TJM MT XX	Token Jam on Mechanical Meter	N	N/A
DOM	TSE X1 01	TSE Half Day AM Hire by Supplier	Y	D+11
DOM	TSE X1 02	TSE Half Day PM Hire by Supplier	Y	D+11
DOM	TSE X1 03	TSE Two Hours Hire by Supplier	Y	D+11
DOM	TSE X1 04	TSE Half Day Hire with 1 Hour OT-Supp	Y	D+11
DOM	TSE X1 05	TSE Half Day Hire with 2 Hours OT-Supp	Y	D+11
DOM	TSE X1 06	TSE Half Day Hire with 3 Hours OT-Supp	Y	D+11
DOM	TSE X1 07	TSE Half Day Hire with 1Hour Extra-Supp	Y	D+11
DOM	TSE X1 08	TSE Half Day Hire with 2Hrs Extra-Supp	Y	D+11
DOM	TSE X1 09	TSE Half Day Hire with 3 Hrs Extra-Supp	Y	D+11
DOM	TSE X1 10	TSE Day Hire with 1 Hour OT -Supp	Y	D+11
DOM	TSE X1 11	TSE Day Hire with 2 Hours OT-Supp	Y	D+11
DOM	TSE X1 12	TSE Day Hire with 3 Hours OT-Supp	Y	D+11
DOM	TSE XX XX	TSE Day Hire By Supplier	Y	D+11
DOM	UNL CR XX	Unlock Credit Meter	Y	D+1
DOM	UNL E6 XX	Unlock E6 meter	Y	D+1
DOM	UNL PP XX	Unlock Pre-Payment Meter	Y	D+1
DOM	WOC XX XX	Wind On Meter - Consumer Request	Y	N/A
DOM	WOM XX XX	Wind on meter	Y	N/A
DOM	WOS XX XX	Wind On Meter - Supplier Request	Y	N/A

I&C	DIS PL XX	Discon Meter Pulse Utilisation Equipment	Y	N/A
I&C	EXC CR 16	Exchange U6 CR for U16 CR	Y	D+5
I&C	EXC CR 25	Exchange U6 CR for U25 CR	Y	D+10
I&C	EXC CR 40	Exchange U6 CR for U40 CR	Y	D+15
I&C	EXC CR 65	Exchange U6 CR for U65 CR	Y	D+15
I&C	EXC C1 00	Exchange U6 CR for U100 CR	Y	D+20
I&C	EXC C1 60	Exchange U6 CR for U160 CR	Y	D+20
I&C	EXC 16 16	Exchange U16 Meter	Code not applicable	N/A
I&C	EXC 16 25	Exchange U16 CR for U25 CR	Y	D+10
I&C	EXC 16 40	Exchange U16 CR for U40 CR	Y	D+15
I&C	EXC 16 65	Exchange U16 CR for U65 CR	Y	D+15
I&C	EXC 16 10	Exchange U16 CR for U100 CR	Y	D+20
I&C	EXC 16 60	Exchange U16 CR for U160 CR	Y	D+20
I&C	EXC 25 25	Exchange U25 Meter	Code not applicable	N/A
I&C	EXC 25 40	Exchange U25 CR for U40 CR	Y	D+15
I&C	EXC 25 65	Exchange U25 CR for U65 CR	Y	D+15
I&C	EXC 25 10	Exchange U25 CR for U100 CR	Y	D+20
I&C	EXC 25 60	Exchange U25 CR for U160 CR	Y	D+20
I&C	EXC 40 40	Exchange U40 CR for U40 CR	Y	D+15
I&C	EXC 40 65	Exchange U40 CR for U65 CR	Y	D+15
I&C	EXC 40 10	Exchange U40 CR for U100 CR	Y	D+20
I&C	EXC 40 60	Exchange U40 CR for U160 CR	Y	D+20
I&C	EXC 65 65	Exchange U65 CR for U65 CR	Y	D+15
I&C	EXC 65 10	Exchange U65 CR for U100 CR	Y	D+20
I&C	EXC 65 60	Exchange U65 CR for U160 CR	Y	D+20
I&C	EXC 10 10	Exchange U100 CR for U100 CR	Y	D+20
I&C	EXC 10 60	Exchange U100 CR for U160 CR	Y	D+20
I&C	EXC 60 60	Exchange U160 CR for U160 CR	Y	D+20
I&C	EXC CO XX	Exchange Converter	Code not applicable	N/A
I&C	EXC DM 65	Exchange U6 due to Damage	Y	D+15
I&C	EXC DM 16	Exchange U16 due to Damage	Y	D+5
I&C	EXC DM 25	Exchange U25 due to Damage	Y	D+10
I&C	EXC DM 40	Exchange U40 due to Damage	Y	D+15
I&C	EXC D1 00	Exchange U100 due to Damage	Y	D+20
I&C	EXC D1 60	Exchange U160 due to Damage	Y	D+20
I&C	EXC DM CO	Exchange damaged convertor	Y	Quoted work
I&C	EXC DM HI	Generic exchange damaged HP meter	Y	Quoted work
I&C	EXC DM RO	Exchange damaged rotary	Y	Quoted work
I&C	EXC DM TU	Exchange damaged turbine	Y	Quoted work
I&C	EXC FT 16	U16 Large diaphragm faulty mtr exchange	N	D+5
I&C	EXC FT 25	U25 Large diaphragm faulty mtr exchange	N	D+10
I&C	EXC FT 40	U40 Large diaphragm faulty mtr exchange	N	D+15
I&C	EXC FT 65	U65 Large diaphragm faulty mtr exchange	N	D+15
I&C	EXC F1 00	U100 Large diaphragm faulty mtr exchange	N	D+20
I&C	EXC F1 60	U160 Large diaphragm faulty mtr exchange	N	D+20
I&C	EXC FT CO	Exchange faulty convertor	N	N/A
I&C	EXC FT HI	Generic exchange faulty HP meter	N	Quoted work
I&C	EXC FT RO	Generic exchange faulty rotary meter	N	Quoted work
I&C	EXC FT TU	Generic exchange faulty turbine meter	N	Quoted work
I&C	EXC GP 16	Exchange U16 Meter for GPS	Y	D+5
I&C	EXC GP 40	Exchange U40 Meter for GPS	Y	D+15
I&C	EXC GP 65	Exchange U65 Meter for GPS	Y	D+15
I&C	EXC G1 00	Exchange U100 Meter for GPS	Y	D+20
I&C	EXC HO GC4	Exchange Housing GC4	Y	Quoted work
I&C	EXC HO GC5	Exchange Housing GC5	Y	Quoted work
I&C	EXC HO GC6	Exchange Housing GC6	Y	Quoted work
I&C	EXC PP 16	Exchange U6 PP for U16 CR	Y	D+5
I&C	EXC PP 25	Exchange U6 PP for U25 CR	Y	D+10
I&C	EXC PP 40	Exchange U6 PP for U40 CR	Y	D+15
I&C	EXC PP 65	Exchange U6 PP for U65 CR	Y	D+15
I&C	EXC P1 00	Exchange U6 PP for U100 CR	Y	D+20
I&C	EXC P1 60	Exchange U6 PP for U160 CR	Y	D+20
I&C	EXC QI MP	Pressure Increase of MP Meter Module	Y	Quoted work
I&C	EXC QI IP	Pressure Increase of IP Meter Module	Y	Quoted work
I&C	EXC QO LP	Exchange LP Meter Module	Y	Quoted work
I&C	EXC QO MP	Exchange MP Meter Module	Y	Quoted work
I&C	EXC QO IP	Exchange IP Meter Module	Y	Quoted work
I&C	EXC QO HI	Exchange HP Meter Module	Y	Quoted work
I&C	EXC QO RO	Exchange rotary Meter Module	Y	Quoted work
I&C	EXC QO TU	Exchange turbine Meter Module	Y	Quoted work
I&C	EXC QI IP	Pressure Increase of IP Meter Module	Y	Quoted work
I&C	EXC 2V LP	Meter Install and Removal LP - 2 Visits	Y	Quoted work
I&C	EXC 2V MP	Meter Install and Removal MP - 2 Visits	Y	Quoted work
I&C	EXC 2V IP	Meter Install and Removal IP - 2 Visits	Y	Quoted work
I&C	EXH PP 16	Exchange with housing U6 PP for U16 CR	Y	Quoted work
I&C	EXH PP 25	Exchange with housing U6 PP for U25 CR	Y	Quoted work
I&C	EXH PP 40	Exchange with housing U6 PP for U40 CR	Y	Quoted work
I&C	EXH PP 65	Exchange with housing U6 PP for U65 CR	Y	Quoted work
I&C	EXH P1 00	Exchange with housing U6 PP for U100 CR	Y	Quoted work
I&C	EXH CR 16	Exchange with housing U6 CR for U16 CR	Y	Quoted work
I&C	EXH CR 25	Exchange with housing U6 CR for U25 CR	Y	Quoted work

I&C	EXH CR 40	Exchange with housing U6 CR for U40 CR	Y	Quoted work
I&C	EXH CR 65	Exchange with housing U6 CR for U65 CR	Y	Quoted work
I&C	EXH C1 00	Exchange with housing U6 CR for U100 CR	Y	Quoted work
I&C	EXH 16 25	Exchange with housing U16 CR for U25 CR	Y	Quoted work
I&C	EXH 16 40	Exchange with housing U16 CR for U40 CR	Y	Quoted work
I&C	EXH 25 40	Exchange with housing U25 CR for U40 CR	Y	Quoted work
I&C	EXH 25 65	Exchange with housing U25 CR for U65 CR	Y	Quoted work
I&C	EXH 25 10	Exchange with housing U25 CR for U100 CR	Y	Quoted work
I&C	EXH 25 60	Exchange with housing U25 CR for U160 CR	Y	Quoted work
I&C	EXH 40 40	Exchange with housing U40 CR for U40 CR	Y	Quoted work
I&C	EXH 40 65	Exchange with housing U40 CR for U65 CR	Y	Quoted work
I&C	EXH 40 10	Exchange with housing U40 CR for U100 CR	Y	Quoted work
I&C	EXH 40 60	Exchange with housing U40 CR for U160 CR	Y	Quoted work
I&C	EXH 65 65	Exchange with housing U65 CR for U65 CR	Y	Quoted work
I&C	EXH 65 10	Exchange with housing U65 CR for U100 CR	Y	Quoted work
I&C	EXH 65 60	Exchange with housing U65 CR for U160 CR	Y	Quoted work
I&C	EXH 10 10	Exchange with housing U100 CR for U100 CR	Y	Quoted work
I&C	EXH 10 60	Exchange with housing U100 CR for U160 CR	Y	Quoted work
I&C	EXH 60 60	Exchange with housing U160 CR for U160 C	Y	Quoted work
I&C	EXI MR 03	Pressure Inc MP Rotary Meter 80mm/3IN	Y	Quoted work
I&C	EXI MR 04	Pressure Inc MP Rotary Meter 100mm/4IN	Y	Quoted work
I&C	EXI MR 06	Pressure Inc MP Rotary Meter 150mm/6IN	Y	Quoted work
I&C	EXI MT 03	Pressure Inc MP Turbine Meter 80mm/3IN	Y	Quoted work
I&C	EXT 02 XX	Rotary meter accuracy test (OFMAT)	Y but only subject to a charge if meter found to be accurate	Quoted work
I&C	EXT 03 XX	Turbine meter accuracy test (OFMAT)	Y but only subject to a charge if meter found to be accurate	Quoted work
I&C	EXT 04 XX	High Pressure meter accuracy test	Y but only subject to a charge if meter found to be accurate	Quoted work
I&C	EXT 16 XX	Exchange - Ofgem Test U16	Y but only subject to a charge if meter found to be accurate	D+5
I&C	EXT 25 XX	Exchange - Ofgem Test U25	Y but only subject to a charge if meter found to be accurate	D+10
I&C	EXT 40 XX	Exchange - Ofgem Test U40	Y but only subject to a charge if meter found to be accurate	D+15
I&C	EXT 65 XX	Exchange - Ofgem Test U65	Y but only subject to a charge if meter found to be accurate	D+15
I&C	EXT X1 00	Exchange - Ofgem Test U100	Y but only subject to a charge if meter found to be accurate	D+20
I&C	EXT X1 60	Exchange - Ofgem Test U160	Y but only subject to a charge if meter found to be accurate	D+20
I&C	FIX 0X 10	U100 Large Diaphragm mtr installation	Y	D+20
I&C	FIX 0X 16	U160 Large Diaphragm mtr installation	Y	D+25
I&C	FIX BX 16	Fit Meter & Housing U16	Y	D+22
I&C	FIX BX 25	Fit Meter & Housing U25	Y	D+10
I&C	FIX BX 40	Fit Meter & Housing U40	Y	D+15
I&C	FIX BX 65	Fit Meter & Housing U65	Y	D+15
I&C	FIX BX 10	Fit Meter & Housing U100	Y	D+20
I&C	FIX BX 60	Fit Meter & Housing U160	Y	D+20
I&C	FIX HO GC4	Install Housing GC4	Y	Quoted work
I&C	FIX HO GC6	Install Housing GC6	Y	Quoted work
I&C	FIX HO GC8	Install Housing GC8	Y	Quoted work
I&C	FIX QO LP	Install LP Meter Module	Y	Quoted work
I&C	FIX QO MP	Install MP Meter Module	Y	Quoted work
I&C	FIX QO IP	Install IP Meter Module	Y	Quoted work
I&C	FIX RE 16	Reconnect - Fit U16 CR Meter	Y	D+5
I&C	FIX RE 25	Reconnect - Fit U25 CR Meter	Y	D+10
I&C	FIX RE 40	Reconnect - Fit U40 CR Meter	Y	D+15
I&C	FIX RE 65	Reconnect - Fit U65 CR Meter	Y	D+15
I&C	FIX R1 00	Reconnect - Fit U100 CR Meter	Y	D+20
I&C	FIX R1 60	Reconnect - Fit U160 CR Meter	Y	D+20
I&C	FIX XX 16	Fix U16 Meter	Y	D+5
I&C	FIX XX 25	Fix U25 Meter	Y	D+10
I&C	FIX XX 40	U40 Large Diaphragm mtr installation	Y	D+15
I&C	FIX XX 65	U65 Large Diaphragm mtr installation	Y	D+15
I&C	FIX XX CO	Install Convertor	Y	Quoted work
I&C	FIX HO GC5	Install Housing GC5	Y	Quoted work
I&C	FIX HO KP5	Install Housing KP5	Y	Quoted work
I&C	FIX QO HP	Install HP Meter Module	Y	Quoted work
I&C	FIX HO KP2	Install Housing KP2	Y	Quoted work
I&C	FIX QO HI	Cust req gen install HP meter quoted	Y	Quoted work
I&C	FIX QO RO	Cust Req Gen Ins Rotary - Quoted	Y	Quoted work

I&C	FIX QO TU	Cust req gen ins Turbine - quoted	Y	Quoted work
I&C	FIX XX DL	Install Datalogger	Y	Quoted work
I&C	GOM XX XX	Medium pressure governor maintenance	N	N/A
I&C	HO GC8	Housing GC8	Y	Quoted work
I&C	MNT CO XX	Maintain convertor	N	N/A
I&C	MNT MT X1	Mnt Mtr & apparatus >75mbar up to 7bar	N	N/A
I&C	MNT MT X2	Mnt Mtr & apparatus >7bar up to 70bar	N	N/A
I&C	MNT MT XX	Mnt Mtr & apparatus up to 75mbar	N	N/A
I&C	MOV 2V LP	Reposition of LP Meter Module 2 Visits	Y	Quoted work
I&C	MOV 2V MP	Reposition of MP Meter Module 2 Visits	Y	Quoted work
I&C	MOV 2V IP	Reposition of IP Meter Module 2 Visits	Y	Quoted work
I&C	MOV LD 16	Reposition LP Diaphragm U16 Meter	Y	Quoted work
I&C	MOV LD 25	Reposition LP Diaphragm U25 Meter	Y	Quoted work
I&C	MOV LD 40	Reposition LP Diaphragm U40 Meter	Y	Quoted work
I&C	MOV LD 65	Reposition LP Diaphragm U65 Meter	Y	Quoted work
I&C	MOV LD 00	Reposition LP Diaphragm U100 Meter	Y	Quoted work
I&C	MOV LD 60	Reposition LP Diaphragm U160 Meter	Y	Quoted work
I&C	MOV LR 03	Reposition LP Rotary Meter 80mm/3IN	Y	Quoted work
I&C	MOV LT 10	Reposition LP Turbine Meter 250mm/10IN	Y	Quoted work
I&C	MOV MD 25	Reposition MP Diaphragm U25 Meter	Y	Quoted work
I&C	MOV MR 06	Reposition MP Rotary Meter 150mm/6IN	Y	Quoted work
I&C	MOV QO LP	Reposition of LP Meter Module	Y	Quoted work
I&C	MOV QO MP	Reposition of MP Meter Module	Y	Quoted work
I&C	MOV QO IP	Reposition of IP Meter Module	Y	Quoted work
I&C	MOV LT 03	Reposition LP Turbine Meter 80mm/3IN	Y	Quoted work
I&C	MOV LR 04	Reposition LP Rotary Meter 100mm/4IN	Y	Quoted work
I&C	MOV 2V IP	Reposition of IP Meter Module 2 Visits	Y	Quoted work
I&C	MOV QO IP	Reposition of IP Meter Module	Y	Quoted work
I&C	MOV DM 16	U16 cus req alter pos diaphragm mtr	Y	Quoted work
I&C	MOV DM 25	U25 cus req alter pos diaphragm mtr	Y	Quoted work
I&C	MOV DM 40	U40 cus req alter pos diaphragm mtr	Y	Quoted work
I&C	MOV DM 65	U65 cus req alter pos diaphragm mtr	Y	Quoted work
I&C	MOV D1 00	U100 cus req alter pos diaphragm mtr	Y	Quoted work
I&C	MOV D1 60	U160 cus req alter pos diaphragm mtr	Y	Quoted work
I&C	MOV RO 01	Cust Req Gen Alter Pos Rot Mtr Only	Y	Quoted work
I&C	MOV RO 02	Cust Req Gen Reconnect Rot Mtr Only	Y	Quoted work
I&C	MOV DL 01	Cust Req alter position datalogger	Y	Quoted work
I&C	MOV HI 02	Cust Req Gen rec HP meter	Y	Quoted work
I&C	MOV TU 01	Cust req Gen alter pos turbine meter only	Y	Quoted work
I&C	MOV TU 02	Cust req Gen reconnetc turbine meter only	Y	Quoted work
I&C	OIL XX XX	Non domestic meter oiling	N	N/A
I&C	POL CO CO	Policy exchange convertor	N	N/A
I&C	POL DI DI	Policy Exchange Diaphragm Meter	N	N/A
I&C	POL DL DL	Policy Exchange datalogger	N	N/A
I&C	POL IB IB	Policy exchange isolation barrier	N	N/A
I&C	POL RO RO	Policy exchange rotary meter	N	N/A
I&C	POL TU TU	Policy exchange turbine meter	N	N/A
I&C	REM 16 XX	U16 Large diaphragm meter removal	Y	D+5 (without purging)

I&C	REM 25 XX	U25 Large diaphragm meter removal	Y	D+10 (without purging)
I&C	REM 40 XX	U40 Large diaphragm meter removal	Y	D+15 (without purging)
I&C	REM 65 XX	U65 Large diaphragm meter removal	Y	D+15 (without purging)
I&C	REM 10 0X	U100 Large diaphragm meter removal	Y	D+20 (without purging)
I&C	REM 16 0X	U160 Large diaphragm meter removal	Y	D+20 (without purging)
I&C	REM AD LP	Removal of LP Meter Module -Adversarial	Y	Quoted work
I&C	REM CO XX	Remove Convertor	Y	Quoted work
I&C	REM LD 16	Remove LP Diaphragm U16 Meter	Y	Quoted work
I&C	REM LD 25	Remove LP Diaphragm U25 Meter	Y	Quoted work
I&C	REM LD 40	Remove LP Diaphragm U40 Meter	Y	Quoted work
I&C	REM LD 65	Remove LP Diaphragm U65 Meter	Y	Quoted work
I&C	REM LD 00	Remove LP Diaphragm U100 Meter	Y	Quoted work
I&C	REM LD 60	Remove LP Diaphragm U160 Meter	Y	Quoted work
I&C	REM LR 02	Remove LP Rotary Meter Size 50mm / 2IN	Y	Quoted work
I&C	REM LR 03	Remove LP Rotary Meter Size 80mm / 3IN	Y	Quoted work
I&C	REM LR 04	Remove LP Rotary Meter Size 100mm / 4IN	Y	Quoted work
I&C	REM LR 06	Remove LP Rotary Meter Size 150mm / 6IN	Y	Quoted work
I&C	REM LR 08	Remove LP Rotary Meter Size 200mm / 8IN	Y	Quoted work
I&C	REM LR 10	Remove LP Rotary Meter Size 250mm / 10IN	Y	Quoted work
I&C	REM LT 04	Remove LP Turbine Meter Size 100mm / 4IN	Y	Quoted work
I&C	REM LT 06	Remove LP Turbine Meter Size 150mm / 6IN	Y	Quoted work
I&C	REM LT 08	Remove LP Turbine Meter Size 200mm / 8IN	Y	Quoted work
I&C	REM LT 10	Remove LP Turbine Meter Size 250mm / 10I	Y	Quoted work
I&C	REM LT 12	Remove LP Turbine Meter Size > 250mm / 1	Y	Quoted work
I&C	REM MD 16	Remove MP Diaphragm U16 Meter	Y	Quoted work
I&C	REM MD 25	Remove MP Diaphragm U25 Meter	Y	Quoted work
I&C	REM MD 40	Remove MP Diaphragm U40 Meter	Y	Quoted work
I&C	REM MD 65	Remove MP Diaphragm U65 Meter	Y	Quoted work
I&C	REM MD 00	Remove MP Diaphragm U100 Meter	Y	Quoted work
I&C	REM MD 60	Remove MP Diaphragm U160 Meter	Y	Quoted work
I&C	REM MR 02	Remove MP Rotary Meter Size 50mm / 2IN	Y	Quoted work
I&C	REM MR 03	Remove MP Rotary Meter Size 80mm / 3IN	Y	Quoted work
I&C	REM MR 04	Remove MP Rotary Meter Size 100mm / 4IN	Y	Quoted work
I&C	REM MR 06	Remove MP Rotary Meter Size 150mm / 6IN	Y	Quoted work
I&C	REM MR 10	Remove MP Rotary Meter Size 250mm / 10IN	Y	Quoted work
I&C	REM MR 12	Remove MP Rotary Meter Size > 250mm / 10	Y	Quoted work
I&C	REM MT 06	Remove MP Turbine Meter Size 150mm / 6IN	Y	Quoted work
I&C	REM MT 10	Remove MP Turbine Meter Size 250mm / 10I	Y	Quoted work
I&C	REM PU HP	Removal of HP Meter Module with Purging	Y	Quoted work
I&C	REM PU IP	Removal of IP Meter Module with Purging	Y	Quoted work
I&C	REM PU LP	Removal of LP Meter Module with Purging	Y	Quoted work
I&C	REM PU MP	Removal of MP Meter Module with Purging	Y	Quoted work
I&C	REM QO IP	Removal of IP Meter Module	Y	Quoted work
I&C	REM QO LP	Removal of LP Meter Module	Y	Quoted work
I&C	REM QO MP	Removal of MP Meter Module	Y	Quoted work
I&C	REM MT 08	Remove MP Turbine Meter Size 200mm / 8IN	Y	Quoted work
I&C	REM MT 02	Remove MP Turbine Meter Size 50mm / 2IN	Y	Quoted work
I&C	REM MR 08	Remove MP Rotary Meter Size 200mm / 8IN	Y	Quoted work
I&C	REM QO HI	Cust Req Gen Rem HP - Quoted	Y	Quoted work
I&C	REM QO RO	Cust Req Gen Rem Rotary - Quoted	Y	Quoted work
I&C	REM QO TU	Cust req gen rem Turbine - quoted	Y	Quoted work
I&C	REM DL XX	Remove Datalogger	Y	Quoted work
I&C	REP GP 65	Repair U65 Meter for GPS	Y	D+15
I&C	SVT IC XX	Site visit for enquiry or complaint -I+C	Y	N/A
I&C	ADD PU LB	Additional Purging Labour	Y	Quoted work
I&C	ADD PU MA	Additional Purging Materials	Y	Quoted work
I&C	EXT OF LP	Exchange - Ofgem Test Low Pressure	Y but only subject to a charge if meter found to be accurate	Quoted work
I&C	EXT OF MP	Exchange - Ofgem Test Med Pressure	Y but only subject to a charge if meter found to be accurate	Quoted work
I&C	EXT OF IP	Exchange - Ofgem Test Intermediate Pressure	Y but only subject to a charge if meter found to be accurate	Quoted work
I&C	CHK TQ XX	Check Mtr Details(transco query)	N	See operational guidelines
I&C	INS EM 01	Ins energy manage sys term to iso dev	Y	N/A
I&C	INS EM 02	Ins energy manage sys term with iso dev	Y	N/A
I&C	INS XX IS	Install Isolation Device	Y	N/A

MISC	MIS CO NA1	Collection for abortive visit	Y	N/A
MISC	MIS CO RD1	Collection from end consumer for repeated damage	Y	N/A
MISC	MIS CP CM1	Compensation to Supplier	Y (Credit)	N/A
MISC	MIS IT CH1	Interest charge	Y	N/A
MISC	MIS LIA PAY 01	Payment to Supplier: I&C Liquidated Damages	Y (Credit)	N/A
MISC	MIS LIA PAY 02	Payment to Supplier: I&C Quote Compensation - National Level	Y (Credit)	N/A
MISC	MIS LIA PAY 04	Payment to Supplier: I&C Quote Compensation - Additional	Y (Credit)	N/A
MISC	MIS LIA PAY 06	Payment to Supplier: I&C Planning Letters	Y (Credit)	N/A
MISC	MIS LIA PAY 07	Payment to Supplier: GOSP (Guaranteed Standards)	Y (Credit)	N/A
MISC	MIS LIA PAY 08	Payment to Supplier: Query Performance Liability payments	Y (Credit)	N/A
MISC	MIS LIA PAY 09	Payment to Supplier: C&D Regulations	Y (Credit)	N/A
MISC	MIS LS MT1	Lost/stolen meter	Y unless police crime reference number provided	N/A
MISC	MNT MT X1	Mnt Mtr & apparatus >75mbar up to 7bar	N	N/A
MISC	MOV CO 01	Cust req alter position convertor	Y	Quoted work
MISC	MOV CO 02	Cust req alter reconnect convertor	Y	Quoted work
MISC	MTR PL IN	Meter Pulse Connection Inspection	Y	Quoted work
MISC	REM PL XX	Remove Meter Pulse Utilisation Equip	Y	Quoted work
MISC	REM QO PU	Remove Meter & Purge Downstream Inst'n	Y	Quoted work
MISC	SAP IA HI	SAP Initial Access Read/Write	Y	N/A
MISC	SAP IA LO	SAP Initial Access Read only	Y	N/A
MISC	SAP LF HI	SAP Annual Licence Fee Read/Write	Y	N/A
MISC	SAP LF LO	SAP Annual Licence Fee Read only	Y	N/A
MISC	SVT XX XX	Site visit for enquiry or complaint	N	N/A
MISC	TSE X1 13	Invoice supplier 2 hrs NGM standing charge, when supplier has given < 2 days notice	Y	N/A
MISC	TSE X1 16	TSE Late Cancellation Charge 2 Hours re 2 Hours	Y	N/A
MISC	TSE X1 17	TSE Late Cancellation Charge 2 Hours re Half Day	Y	N/A
MISC	TSE X1 18	TSE Late Cancellation Charge Half Day re Full Day	Y	N/A
MISC	TSE X1 20	Payment to Supplier TSE No Show 2 Hours re 2 Hours	Y (Credit)	N/A
MISC	TSE X1 21	Payment to Supplier TSE No Show 2 Hours re Half Day	Y (Credit)	N/A
MISC	TSE X1 22	Payment to Supplier TSE No Show Half Day re Full Day	Y (Credit)	N/A
MISC	TSE CL XX	TSE Hire Child job - Meter Clamped	Y	D+10
MISC	TSE RE XX	TSE Hire Child job - Meter Removal	Y	D+10